INVITATION TO BID	OF OF	BIDS WILL BE PUBLICLY OPENED:
STATE OF LOUISIANA		APR 20, 2010 10:00 AM
DIVISION OF ADMINISTRATION		
OFFICE OF STATE PURCHASING	ATTITUTE OF THE PARTY OF THE PA	PURCHASING AGENCY NO.: 107001
FILL IN VENDOR NUMBER (FEIN), NAM ADDRESS ABOVE, BEFORE SUBMITTII		AGENOT HEG. NO.
CARGO CADDY, PUSH BUMPERS, LAPTOP STAND),	
PARTITION, CARGO BARRIER FOR 2010 TAHOE	7	
1. PLEASE REMOVE FROM THIS COMMODITY CODE. 2. DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER RECEIF 3. % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIRT' LESS THAN 30 DAYS OR LESS THAN 1% WILL BE ACCEPTED, BUT W DETERMINING AWARDS. ON INDEFINITE QUANTITY TERM CONTRAC BUT WILL NOT BE CONSIDERED IN DETERMINING AWARDS. 4. BID BOND ATTACHED, CERTIFIED CHECK ATTACHE 5. BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RESUL	PT OF ORDER Y (30) DAYS. VILL NOT BE C CTS, CASH DIS	R CASH DISCOUNTS FOR CONSIDERED IN DISCOUNTS WILL BE ACCEPTED AND TAKEN OTHER, IF REQUIRED.
INSTRUCTION	NS TO BIDDER	FRS
1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECE ALL BID PRICES MUST BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, INITIALED BY THE BIDDER. 3. THIS BID IS TO BE MANUALLY SIGNED IN INK. 4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. DESTINATION OF "C.O.D" REQUIREMENTS MAY BE REJECTED. PAYMENT IS TO BE MADE INVOICE OR DELIVERY, WHICHEVER IS LATER. 5. AMOUNT OF BID BOND REQUIRED: 6. AMOUNT OF PERFORMANCE BOND, IF REQUIRED. 7. DESIRED DELIVERY: 014DAYS ARO	OR AS OTHER WITHIN 30 DA	FOLD HERE> ERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" DAYS AFTER RECEIPT OF PROPERLY EXECUTED OR OF BID.
8. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOU THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECT OF SHORT OF THE LAWS OF THE STAPURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD IN THIS SOLICITATION. 10. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIES COMPLIANCE WE SPECIFICATIONS, AND FURTHER CERTIFIES THAT THIS BID IS MADE WITHOUT BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO.30). ALL BID INFORMATIONS.	CIAL ENVELO TE OF LOUISI TERMS AND TITH ALL INST UT COLLUSIO	OPE IF FURNISHED FOR THAT PURPOSE. SIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; D CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED STRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND ION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK
VENDOR PHONE NUMBER: TIT FAX NUMBER:	LE	DATE
SIGNATURE OF AUTHORIZED BIDDER - SEE NO. 30, PAGE 3. (MUST BE SIGNED)		NAME OF BIDDER (TYPED OR PRINTED)

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 2

11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.

12. CONFERENCE:

NA

NA

NA

NA

13. BID FORMS.

ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

- A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND:
- B. BID FILLED OUT IN PENCIL: AND
- C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED.
TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN
ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT
BID.

14. STANDARDS OF QUALITY.

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFOMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

15. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

16. BID OPENING.

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.

17. AWARDS.

THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.

18. PRICES

UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

19. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.

20. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 3

21. NEW PRODUCTS.

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

22. CONTRACT RENEWALS.

UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

23. CONTRACT CANCELLATION.

THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION; (3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW; (6) ANY OTHER BREACH OF CONTRACT.

24. DEFAULT OF CONTRACTOR.

FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT.
WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS
OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT
PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

25. ORDER OF PRIORITY.

IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

26. APPLICABLE LAW.

ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

27. COMPLIANCE WITH CIVIL RIGHTS LAWS.

BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

28. SPECIAL ACCOMMODATION.

ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

29. INDEMNITY.

CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

30. SIGNATURE AUTHORITY.

IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:

- 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR
- 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR
- 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.

SPECIAL TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 4

1 BID DELIVERY INSTRUCTIONS FOR STATE PURCHASING:

BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT MAKE DELIVERIES TO OUR PHYSICAL LOCATION.

BIDS MAY BE MAILED THROUGH THE U.S. POSTAL SERVICE TO OUR BOX AT:
OFFICE OF STATE PURCHASING
P O BOX 94095
BATON ROUGE LA 70804-9095

BIDS MAY BE DELIVERED BY HAND OR COURIER SERVICE TO OUR PHYSICAL LOCATION AS FOLLOWS:

OFFICE OF STATE PURCHASING CLAIBORNE BUILDING, SUITE 2-160 1201 NORTH THIRD STREET BATON ROUGE, LA 70802

BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL LOCATION. THE OFFICE OF STATE PURCHASING IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE BIDDER'S CHOSEN MEANS OF BID DELIVERY.

BIDDER SHOULD BE AWARE OF SECURITY REQUIREMENTS FOR THE CLAIBORNE BUILDING AND ALLOW TIME TO BE PHOTOGRAPHED AND PRESENTED WITH A TEMPORARY IDENTIFICATION BADGE.

BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE & TIME SHALL RESULT IN REJECTION OF THE BID.

**ATTENTION: **

RECEIPT OF A SOLICITATION OR AWARD CANNOT BE RELIED UPON AS AN ASSURANCE OF RECEIVING FUTURE SOLICITATIONS. IN ORDER TO RECEIVE FUTURE SOLICITATIONS/AWARDS FROM THIS OFFICE, YOU MUST ENROLL IN THE PROPER CATEGORY ON LAPAC AT THE FOLLOWING WEB SITE: HTTP://www.prd.doa.louisiana.gov/osp/lapac/pubmain.asp ENROLLMENT IN LAPAC IS FREE AND PROVIDES EMAIL NOTIFICATION OF BID OPPORTUNITIES BASED UPON COMMODITIES THAT YOU SELECT.

2 PREFERENCE. IN ACCORDANCE WITH LOUISIANA REVISED STATUTES 39:1595, A PREFERENCE MAY BE ALLOWED FOR PRODUCTS MANUFACTURED, PRODUCED, GROWN, OR ASSEMBLED IN LOUISIANA OF EQUAL QUALITY.

	DΟ	YOU	CLAIM	THIS	PREFERENCE?	YES
--	----	-----	-------	------	-------------	-----

SPECIA	\L T	ERMS & CONDITIONS	INVITATION TO BID
NUMBER : OPEN DATE: T-NUMBER :	04/2	8988 20/10 TIME: 10:00 AM	BIDDER:
		SPECIFY LINE NUMBER(S):_	
			LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED, MBLED:
		(NOTE: IF MORE SPACE IS	REQUIRED, INCLUDE ON SEPARATE SHEET.)
		DO YOU HAVE A LOUISIANA	BUSINESS WORKFORCE? YES NO
			NAT AT LEAST FIFTY PERCENT (50%) OF YOUR FORCE IS COMPRISED OF LOUISIANA RESIDENTS?
		YES NO	
			E INFORMATION MAY CAUSE ELIMINATION FROM ES SHALL NOT APPLY TO SERVICE CONTRACTS.
	3	BRAND NAME AND/OR PRODUCTHE ITEM DEVIATES. FAIL	Y COMPLY WITH SPECIFICATIONS (INCLUDING CT NUMBER), BIDDER MUST STATE IN WHAT RESPECT JURE TO NOTE EXCEPTIONS ON THE BID FORM WILL FUL BIDDER FROM SUPPLYING THE ACTUAL PRODUCT
	4		C SAFETY RESERVES THE RIGHT TO AWARD THE ABOVE ED, OR ON AN ALL OR NONE BASIS, AND TO REJECT VAIVE ANY INFORMALITIES.
	5		
		REPURCHASE CLAUSE	
		THE ITEMS LISTED AT THE	C SAFETY RESERVES THE RIGHT TO REPURCHASE SAME TERMS AND PRICES SHOWN ABOVE FOR A FROM DATE OF THE PURCHASE ORDER.
	6		PECIFIED, SUFFICIENT INFORMATION SHOULD BE I ORDER TO DETERMINE QUALITY, SUITABILITY, AND CIFICATIONS.
		FAILURE TO COMPLY WITH TO CONSIDERATION.	THIS REQUEST MAY ELIMINATE YOUR BID FROM
	7		VENDORS ARE ENCOURAGED TO CONSIDER DELIVERY CYCLABLE OR REUSABLE PACKAGING MATERIAL AND CH RECYCLED CONTENT.
	8		SCOPE OF CONTRACT

PAGE 5

SPECIAL TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 6

SUBMITTAL OF ANY TERMS AND CONDITIONS CONTRARY TO THOSE OF THE STATE OF LOUISIANA MAY CAUSE YOUR BID TO BE REJECTED. BY SIGNING BELOW, TERMS AND CONDITIONS WHICH MAY BE INCLUDED IN YOUR BID ARE NULLIFIED, AND CONTRACTOR AGREES THAT THIS CONTRACT SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

DIDDED CICNIMUDE

BIDDER SIGNATURE

9

DUE TO FISCAL YEAR CONSTRAINTS, FUNDING MAY BE UNAVAILABLE FOR PAYMENT FOR ITEMS NOT DELIVERED BY JUNE 30. IF DELIVERY CANNOT BE MADE IN ACCORDANCE WITH THE ORDER, VENDOR MUST ADVISE THE AGENCY OF INABILITY TO SUPPLY.

10 THE STATE RESERVES THE RIGHT TO REJECT BIDS THAT CANNOT MAKE DELIVERY BY JUNE 30.

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 7

11

PUSH BUMPERS SHALL MEET THE FOLLOWING SPECIFICATIONS

- THE PUSH BUMPERS SHALL HAVE TWO VERTICAL PUSHING SURFACES (22-1/2" HIGH) POSITIONED TO ALIGN WITH THE BUMPERS OF DISABLED VEHICLES, 12 GAUGE STEEL ACCESSORY-MOUNTING SHELF LOCATED BETWEEN THE VERTICALS, STEEL MOUNTING BRACKETS ATTACHED TO THE STRUCTURE OF THE VEHICLE BY A CLAMPING MECHANISM WHICH REQUIRES NO HOLES IN THE STRUCTURE OF THE VEHICLE, PUSHING LOADS DISTRIBUTED ON THE FACE OF THE BUMPER STRUCTURE AS INTENDED IN THE DESIGN OF THE CAR, NO HOLES MADE IN THE STRUCTURE WHICH COULD CAUSE A LOAD CONCENTRATION NOT INTENDED IN THE ORIGINAL DESIGN, PUSH BUMPER DOES NOT REQUIRE REMOVAL OF THE FASCIA ELIMINATING POTENTIAL INSTALLATION DAMGE.
- THE PUSHING SURFACE SHALL BE MADE OF A HEAVY-DUTY MAR-RESISTANT RUBBER (BLACK IN COLOR), THIS MATERIAL SHALL NOT LEAVE MARKS ON THE BUMPERS OF VEHICLES BEING PUSHED, VERTICAL PUSH END PLATES MADE FROM .187 HOT-ROLLED STEEL, MOUNTING BRACKETS ATTACH TO FRAME OF VEHICLE ARE CONSTRUCTED OF 3/8" STEEL AND ALL PARTS PAINTED TO WITHSTAND 1000 HR SALT SPRAY CORROSION TEST AND JOINED WITH GRADE 8 ZINC PLATED BLACK CHROMATE FASTENERS, ACCESSORY MOUNTING SHELF MADE OF 12 GAUGE STEEL WITH THE SAME PAINT.
- SHALL PROVIDE A MINIMUM WARRANTY OF ONE YEAR ON PARTS, AND AGREE TO REPLACE ANY COMPLETE SYSTEM FOUND TO BE DEFECTIVE OR NOT COMPLY WITH THE SPECIFICATIONS.

PRO-GARD MODEL PB57T07 OR EQUAL.

12

VEHICLE PARTITION, TO FIT 2010 CHEVROLET TAHOE, SHALL MEET THE FOLLOWING SPECIFICATIONS.

MAIN FRAMEWORK:

- ROLL BAR STYLE TUBING FRAMEWORK SHALL BE MANUFACTURED FORM 1-5/8"
 OD STRUCTURAL STEEL TUBING WITH THE NOMINAL WALL THICKNESS OF .140"
- THE TUBING THAT SERVES AS THE STURCTURAL SUPPORT SHALL BE FORMED TO HAVE A 14-DEGREE BEND, WHICH FOLLOWS THE CONTOUR OF THE FRONT SEAT FRAMEWORK SHALL HAVE STEEL TABS WELDED TO TUBING TO ALLOW MOUNTING
- FRAMEWORK SHALL HAVE STEEL TABS WELDED TO TUBING TO ALLOW MOUNTING OF SIDE PANELS AND UPPER SUPPORT BRACKETS FOR INSTALLATION INTO VEHICLE
- THE TUBING SHALL BE COVERED WITH A MINIMUM 1/2" FOAM PADDING

WINDOW FRAMEWORK:

- WINDOW FRAMEWORK SHALL HAVE HEAVY-DUTY STEEL AND ALUMINUM MOUNTED TO A STEEL FRAMEWORK

PARTITION SUPPORT:

- SUPPRT BRACKETS SHALL BE MOUNTED TO VEHICLES "B" PILLARS TO SUPPORT (SUSPEND) PARTITION BETWEEN "B" PILLARS
- "B" PILLAR BRACKETS SHALL BE CONSTRUCTED FROM 11 GAUGE STEEL POWDER COATED TO MATCH PARTITION FINISH
- FLAT SUPPORT BRACKETS SHALL BE CONSTRUCTED FROM 14 GAUGE STEEL, POWDER COATED TO MATCH PARTITION

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 8

- MOUNTING FEET SHALL BE CONSTRUCTED FROM 7 GAUGE TUBE STEEL, WITH 1/8" WALL AND 1-1/4" OD FINISH TO MATCH PARTITION

SEAT BACK PROTECTOR (GUARD PLATE):

- FULL WIDTH GUARD PLATE SHALL BE MANUFACTURED OF 14 GAUGE STEEL AND WELDED SECURELY TO TUBULAR FRAMEWORK TO CREATE STEEL BARRIER BEHIND FRONT SEATS

SIDE FILLER PANELS:

- FILLER PANELS SHALL BE MANUFACTURED FROM 1/8" CLEAR POLYMER MATERIAL AND THERMAL FORMED TO CLOSELY FOLLOW THE CONTOUR OF THE VEHICLE DOORS AND WINDOWS
- NO SHARP EDGES SHALL BE ON PANELS
- FILLER PANELS SHALL BE LABORATORY TESTED WITH VIDEO DOCUMENTATION TO FLEX AWAY AND ALLOW FOR VEHICLES SIDE ROOF RAIL AIRBAG SYSTEM TO DEPLOY

FLOOR MOUNTING BRACKETS:

- FLOOR MOUNTING BRACKETS SHALL BE ANGLED TO ALLOW PARTITION TO ROUGHLY FOLLOW THE FRONT SEAT BACK ANGLE
- SPACERS SHALL BE PROVIDED TO CONFORM THE PARTITION HEIGHT TO THE SPECIFIC VEHICLE
- FLOOR BRACKETS SHALL BE HELD IN PALCE BY 1/8" FORMED BRACKETS THAT ARE ATTACHED TO THE BRACKETS WITH BOLTS AT ONE END AND TO THE FRONT SEAT RAIL MOUNT BOLT

WINDOW CONFIGURATION:

- SHALL BE 1/2 CLEAR POLYCARBONATE 1/2 EXPANDED METAL WINDOW

FINISH:

- FRAMEWORK AND SEAT BACK PROTECTOR SHALL BE FINISHED WITH CHARCOAL GRAY ELECTRO-DEPOSITED POWDER COATED PAINT APPLIED IN A CONSISTENT THICKNESS OF .0003 TO .0005 MILS
- FINISH SHALL BE OVEN BAKED AT A TEMPERATURE OF 325 TO 400 DEGREES F

ALL NECESSARY HARDWARE AND INSTRUCTIONS FOR INSTALLATION AND OPERATION SHALL BE PROVIDED.

WARRANTY:

- SHALL PROVIDE A MINUMUM WARRANTY OF ONE YEAR ON PARTS, AND AGREE TO REPLACE ANY COMPLETE SYSTEM FOUND TO BE DEFECTIVE OR NOT COMPLY WITH THE SPECIFICATIONS.

(MUST BE COMPATIBLE WITH KICK PANEL PARTITION BELOW)

PRO-GARD MODEL P5712T07A OR EQUAL.

LOWER EXTENSION KICK PANEL PARTITION, TO FIT 2010 CHEVROLET TAHOE, SHALL MEET THE FOLLOWING SPECIFICATIONS.

- SHALL FIT OVER THE TRANSMISSION HUMP TO DENY ACCESS TO THE FRONT SEAT AREA
- SEAT PROTECTOR SHALL BE MANUFACTURED FROM 14 GAUGE STEEL PLATE COATED WITH THE SAME PAINT AS THE PARTITION
- SHALL BE THE FULL WIDTH MODEL (47") DESIGNED TO WORK WITH A

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 9

STANDARD PARTITION (MUST BE COMPATIBLE WITH VEHICLE PARTITION ABOVE)
- THE PROTECTORS SHALL BE ANGLED FORWARD AT THE BOTTOM TO PROVIDE
FOOT ROOM FOR THE PASSENGER OR PRISONER

WARRANTY:

- SHALL PROVIDE A MINIMUM WARRANTY OF ONE YEAR ON PARTS, AND AGREE TO REPLACE ANY COMPLETE SYSTEM FOUND TO BE DEFECTIVE OR NOT COMPLY WITH THE SPECIFICATIONS.

PRO-GARD MODEL SP57FWT07 OR EQUAL.

13

UNIVERSAL LAPTOP MOUNT SHALL MEET THE FOLLOWING SPECIFICATIONS

- SHALL BE SIDE PASSENGER MOUNT AND SHALL FIT 2010 CHEVROLET TAHOE SHALL HAVE HEAVY DUTY VEHICLE SPECIFIC MOUNTING BASE MOUNT TO
- EXISTING OEM SEAT BOLTS
- SHALL WORK IN CONJUNCTION WITH HAVIS INC. HUMP MOUNT BRACKETS
- SHALL BE MANUFACTURED FROM 10 GAUGE STEEL WITH A TEXTURED BLACK POLYESTER POWDER COAT FINISH
- SHALL HAVE GUSSETED AND WELDED DESIGN MOUNTS INDEPENDENTLY OF A CONSOLE
- SHALL BE CONFIGURABLE FOR MANY UNIVERSAL LAPTOP, KEYBOARD AND DOCKING STATION MOUNTS
- SHALL WORK WITH C-HDM-200 SERIES TELESCOPING POLES FOR EASY INSTALLATION (SOLD SEPARATELY)
- SHALL HAVE OPTIONAL TOP OFFSET PLATFORM C-HDM-300 SERIES TO ADD COMPUTER WHERE YOU WANT IT (SOLD SEPARATELY)
- SHALL INCLUDE A 5 INCH HIGH X 55 DEGREE LOWER OFFSET MOUNT TO POSITION POLE CLOSER TO THE CENTER OF VEHICLE, OFFSET ATTACHES TO MAIN PALTE AWITH FOUR (4) 5/16" HEX HEAD BOLTS, THE OFFSET ALSO HAS 1.75" LONG SLOTS SO IT CAN BE ADJUSTED INTO THE BEST LOCATION AT INSTALLATION
- ALL STEEL PARTS SHALL HAVE A MEDIUM TEXTURED BLACK POLYESTER POWDER COAT FINISH
- SHALL HAVE HEAVY DUTY TELESCOPING POLE WITH PRECISION MACHINED SOLID BILLET ALUMINUM CLAMP SURFACES
- SHALL HAVE POLE HEIGHT CLOSED 9", FULLY EXTENDED 14"
- SHALL BE CONFIGURABLE FOR MANY UNIVERSAL LAPTOP, KEYBOARD AND DOCKING STATION MOUNTS
- SHALL BOLT TO C-HDM-100 SERIES VEHICLE SPECIFIC BASES FOR EASY INSTALLATION (SOLD SEPARATELY)
- STANDARD ADJUSTABLE STOP COLLAR SHALL LIMIT THE COMPUTER FROM TELESCOPING BELOW DESIRED HEIGHT
- SHALL HAVE LEVER HANDLE FOR OPERATOR ADJUSTMENT AS NEEDED
- ALL STEEL PARTS SHALL HAVE GLOSSY ULTRA SMOOTH E-COAT FINISH
- SHALL HAVE HEAVY DUTY SLIDING TOP OFFSET PLATFORM
- SHALL ALLOW FOR STRONG AND COMFORTABLE POSITIONING OF COMPUTER EQUIPMENT
- SHALL HAVE 9" LONG OFFSET FROM CENTER OF POLE AND EXTENDS AN ADDITIONAL 6" FOR A TOTAL EXTENSION OF 15"
- SHALL HAVE COMPACT NYLON SLIDE DESIGN
- SIDE LOCKING KNOB SHALL HOLD THE SLIDE WITH COMPUTER IN THE STORED

SPECIFICATIONS	INVITATION TO BID	
NUMBER : 2238988 OPEN DATE: 04/20/10 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 10

POSITION

- SHALL BOLT TO C-HDM-200 SERIES TELESCOPING POLES FOR EASY INSTALLATION (SOLD SEPARATELY)
- ALL STEEL PARTS SHALL HAVE A MEDIUM TEXTURED BLACK POLYESTER POWDER COAT FINISH
- SHALL HAVE HEAVY DUTY SAFETY LOCK ASSEMBLY
- SPRING RELEASE PIN SHALL PREVENT ROTATION WHILE DRIVING SHALL AUTOMATICALLY LOCK WHEN ROTATED INTO STORED POSITION
- SHALL ATTACH TO C-HDM 202 POLE AND C-HDM-305 TOP OFFSET TO CONTROL SIDE TO SIDE SWIVEL
- ALL STEEL PARTS SHALL HAVE A MEDIUM TEXTURED BLACK POLYESTER POWDER COAT FINISH
- SHALL HAVE HEAVY DUTY STABILITY SIDE SUPPORT ARM AND CLAMP ASSEMBLY
- SHALL ADD UPPER SUPPORT FOR STABILITY SHALL CONNECT FROM POLE TO OEM DASH FRAME UNDER PASSENGER GLOVE BOX DOOR
- SHALL HAVE SIMPLE SLIDE AND TIGHTEN LENGTH ADJUSTMENT AT INSTALLATION
- ADJUSTABLE ARM SHALL HAVE A CHROME FINISH
- SHALL HAVE OVERALL CLOSED LENGTH OF SUPPORT ARM ASSEMBLY FROM CENTER $OF \ POLE = 13.25"$
- SHALL HAVE OVERALL EXTENDED LENGTH OF SUPPORT ARM ASSEMBLY FROM CENTER OF POLE = 22.75"
- SHALL HAVE MACHINED ALUMINUM CLAMP COLLAR SHALL HAVE TWO (2) "L" BRACKETS INCLUDED FOR ADAPTING ARM TO VARIOUS MOUNTING APPLICATIONS
- SHALL HAVE LOW PROFILE TILT / SWIVEL MOTION DEVICE
- SHALL BE USED TO MOUNT LAPTOP MOUNTING PLATE, DOCKING STATIONS, UT-X SERIES AND KEYBOARD MOUNTS TO C-HDM SERIES OR SM SERIES **APPLICATIONS**
- SHALL HAVE MOTION DEVICE THAT ENABLES 180 DEGREE HORIZONTAL ROTATION
- SHALL HAVE 92 DEGREE VERTICAL TILT MOVEMENT TO PROVIDE CUSTOMIZED VIEWING ANGLE
- SHALL HAVE FIXED 1.82" HEIGHT
- SHALL HAVE LONG LOCKING HANDLE
- ALL STEEL PARTS SHALL HAVE A MEDIUM TEXTURED BLACK POLYESTER POWDER COAT FINISH
- SHALL HAVE UNIVERSAL ADAPTER PLATE
- SHALL ALLOW HAVIS DOCKS OR TILT / SWIVEL TO BE MOUNTED TO OTHER MANUFACTURERS EQUIPMENT
- MATERIAL: SHALL BE HEAVY GAUGE STEEL WITH BLACK POWDER COAT FOR ANTI-GLARE AND RUST PREVENTION
- SHALL HAVE TWO-PIECE DESIGN FOR EASY INSTALLATION
- SHALL BE 1"H X 5.458"W X 5.556" L
- SHALL WEIGH 2.3 LBS

HAVIS C-ADP-101 C-HDM-401 OR EQUAL.

PRICE S		INVITATI	O.1 1 O D	10		
	: 2238988 : 04/20/10 TIME: 10:00 AM :	BIDDER:				PAGE 11
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL
	UNLESS SPECIFIED ELSEWHERE SHIP TO: PUBLIC SAFETY SERVICES OFFICE OF STATE POLICE FLEET PARTS WAREHOUSE 290 E AIRPORT AVE, DOCK 3 BATON ROUGE, LA 70806					
00001	COMMODITY CODE: 055-69-000000 SUV CARGO CADDY ORGANIZER, MID SIZE, PER THE FOLLOWING SPECIFICATIONS DIMENSIONS: 10"H X 37.75"W X 32.25"D - SHALL BE MADE OF DURABLE AUTOMOTIVE-GRADE PLASTIC - CONSTRUCTION SHALL BE REINFORCED WITH RESTRUCTURAL RIBS THAT CAN SUPPORT UP TO 150 LBS - SHALL HAVE A 3/8" PLYWOOD INSERT COVERED WITH CARPET ON TOP TO MATCH INTERIOR - SHALL HAVE SMOOTH SLIDE DRAWERS WITH REMOVABLE DIVIDERS DRAWER SHALL HAVE A KEY ADAMSON INDUSTRIES CORP ITEM #OR-SUVCADM OR EQUAL. SPECIFY BRAND (& NUMBER IF APPLICABLE)	89	EACH			
00002	COMMODITY CODE: 055-36-000000 PUSH BUMPERS TO FIT CHEVROLET TAHOES PER THE ATTACHED SPECIFICATIONS. PRO-GARD MODEL PB57T07 OR EQUAL. SPECIFY BRAND (& NUMBER IF APPLICABLE)	89	EACH			

ICE S	HEET	INVITATION TO BID						
N DATE	: 2238988 : 04/20/10 TIME: 10:00 AM :	BIDDER:				PAGE 12		
	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL		
LINE NO. 00003	COMMODITY CODE: 055-16-000000 WIRE WINDOW CARGO BARRIER FOR 2010 CHEVROLET TAHOE PER THE FOLLOWING SPECIFICATIONS. - CARGO BARRIER SHALL BE DESIGNED TO FIT 2010 CHEVROLET TAHOE, EQUIPPED WITH SIDE CURTAIN AIRBAGS ONE SIZE FIT FOR FULL OR MID SIZE FOUR DOOR, TO TRANSFER TO DIFFERENT YEAR MODEL SHALL HAVE STABLE STEEL FRAMEWORK CONSTRUCTED OF 14 GAUGE ROLLED STEEL BENT WITH 2" SIDES TO FORM A STABLE COMPLETE BARRIER - SHALL HAVE 43-3/4" X 15" WINDOW AREA OPENING - BARRIER SHALL BE POWDER COATED - WINDOW AREA SHALL BE CONSTRUCTED OF 7 GAUGE WELDED WIRE SCREEN, BLACK POWDER SCREEN BOLTED ONTO FRAMEWORK BY USING 1/4" POWDER COATED BOLTS - SUPPORT BRACKETS SHALL BE MANUFACTURED FROM 11 GAUGE HOT ROLLED STEEL BENT TO ALLOW PROPER INSTALLATION OF BARRIER TO THE REAR SEAT BELT AREA - BRACKETS SHALL BE MANUFACTURED FROM .236 INCH CLEAR LEXAN POLYCARBONATE - PANELS SHALL BE ROUTED TO FIT THE CONTOUR OF VEHICLE WINDOWS IN REAR COMPARTMENT OF VEHICLE AND SHALL NOT		EACH	UNIT PRICE	EXTENDED	TOTAL		
	HAVE SHARP EDGES - PANELS SHALL ATTACH TO THE FRAMEWORK OF THE BARRIER BY A MINIMUM OF 1/4" BOLTS							
	PRO-GARD MODEL B5705T07 OR EQUAL. SPECIFY BRAND (& NUMBER IF APPLICABLE)							

PRICE S	HEET	INVITATIO	INVITATION TO BID						
NUMBER	: 2238988 : 04/20/10 TIME: 10:00 AM	BIDDER:				PAGE 13			
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED	TOTAL			
00004	REQUISITION LINE CANCELLED								
00005	COMMODITY CODE: 055-16-000000	89	EACH						
	VEHICLE PARTITION, TO FIT 2010 CHEVROLET TAHOE, PER THE ATTACHED SPECIFICATIONS.								
	PRO-GARD MODEL P5712T07A OR EQUAL.								
	SPECIFY BRAND (& NUMBER IF APPLICABLE)								
00006	COMMODITY CODE: 055-16-000000 LOWER EXTENSION KICK PANEL PARTITION, TO FIT 2010 CHEVROLET TAHOE, PER THE ATTACHED SPECIFICATIONS.	89	EACH						
	PRO-GARD MODEL SP57FWT07 OR EQUAL.								
	SPECIFY BRAND (& NUMBER IF APPLICABLE)								
00007	COMMODITY CODE: 055-16-000000	89	EACH						
	UNIVERSAL LAPTOP MOUNT, TO FIT 2010 CHEVROLET TAHOE, PER THE ATTACHED SPECIFICATIONS.								
	SPECIFY BRAND (& NUMBER IF APPLICABLE)								